

ARIA L5 POB RGBW (it. 215110)



Specifiche tecniche

LED type	RGBW5050MULTICHIP
Number of LEDs	5
LED expected lifetime (hrs)	50000
Lumen MAX	1815
Red lumen (lm)	330
Green lumen (lm)	770
Blu lumen (lm)	110
White lumen (lm)	715
Lenses	8° 15° 15° x 30° 25° 40° 60°
Filters	None f 17° tilt f34° tilt f 60° f 65° f 100° f 8°x 60°
Control type	Protocol USITT DMX512 - RDM
Input range	100 - 277 VAC; 47/63 Hz
Power (W)	20
Inrush current	45A@230V

IP protection rating	IP 67 68 optional
Dimensions d x h (mm)	134 x 137
Weight (Kgs)	3,8
Mounting systems	Surface Truss (optional)
Colour finishing	Stainless steel
Marine Grade treatment	None Yes
Product Category	Spot

La tua configurazione

LED type	RGBW5050MULTICHIP
Number of LEDs	5
LED expected lifetime (hrs)	50000
Lumen MAX	1815
Red lumen (lm)	330
Green lumen (lm)	770
Blu lumen (lm)	110
White lumen (lm)	715
Lenses	8°
Filters	None
Control type	Protocol USITT DMX512 - RDM
Input range	100 - 277 VAC; 47/63 Hz
Power (W)	20
Inrush current	45A@230V
IP protection rating	IP 67
Dimensions d x h (mm)	134 x 137
Weight (Kgs)	3,8
Mounting systems	Surface
Colour finishing	Stainless steel
Marine Grade treatment	None
Product Category	Spot