


COMPACTBAR RGBWA 150cm (it. 212017)



Specifiche tecniche

LED type	RGBW (8W)
Number of LEDs	27
Lumen MAX	12900
Red lumen (lm)	2880
Green lumen (lm)	3780
Blu lumen (lm)	1053
White lumen (lm)	4380
Amber lumen (lm)	1860
Lenses	15° 20° 25° 35°
Filters	None f 15°x 60°
Control type	Protocol USITT DMX512 - RDM Protocol USITT DMX512 - RDM + Wireless (on request)
Functions	RDM/DRS Wireless DMX receiver
Input range	iv 200 - 240 VAC; 47/63 Hz
Power (W)	120
Tilt	160°
IP protection rating	IP 67
Sizes l x p x h (mm)	1530 x 71 x 115
Weight (Kgs)	5,7

Mounting systems	Surface Truss (optional)
Colour finishing	Standard Grey Black RAL 9005 (optional) White (optional)
Marine Grade treatment	None Yes
Product Category	Linear Bar

La tua configurazione

LED type	RGBW (8W)
Number of LEDs	27
Lumen MAX	12900
Red lumen (lm)	2880
Green lumen (lm)	3780
Blu lumen (lm)	1053
White lumen (lm)	4380
Amber lumen (lm)	1860
Lenses	15°
Filters	None
Control type	Protocol USITT DMX512 - RDM
Input range	iv 200 - 240 VAC; 47/63 Hz
Power (W)	120
Tilt	160°
IP protection rating	IP 67
Sizes l x p x h (mm)	1530 x 71 x 115
Weight (Kgs)	5,7
Mounting systems	Surface
Colour finishing	Standard Grey
Marine Grade treatment	None
Product Category	Linear Bar