


## COMPACTBAR WB 150cm (it. 212317)



### Specifiche tecniche

LED type	CW+WW (5W)
Number of LEDs	27 (2700K) + 27 (6500K)
Lumen MAX	12150
Lenses	8° 15° 15° x 30° 25° 40° 60°
Filters	f 80° f 100° f 8°x 60°
Control type	Protocol USITT DMX512 - RDM + Wireless (on request)
Functions	RDM/DRS Wireless DMX receiver
Input range	iv 200 - 240 VAC; 47/63 Hz
Power (W)	105
Inrush current	45A@230V
Tilt	160°
IP protection rating	IP 67
Sizes l x p x h (mm)	1530 x 71 x 115
Weight (Kgs)	5,7
Mounting systems	Surface Truss (optional)

---

Colour finishing	Standard Grey Black RAL 9005 (optional) White (optional)
------------------	--

Marine Grade treatment	None Yes
------------------------	-------------

---

Product Category	Linear Bar
------------------	------------

---

## La tua configurazione

LED type	CW+WW (5W)
Number of LEDs	27 (2700K) + 27 (6500K)
Lumen MAX	12150
Lenses	8°
Filters	f 80°
Control type	Protocol USITT DMX512 - RDM + Wireless (on request)
Input range	iv 200 - 240 VAC; 47/63 Hz
Power (W)	105
Inrush current	45A@230V
Tilt	160°
IP protection rating	IP 67
Sizes l x p x h (mm)	1530 x 71 x 115
Weight (Kgs)	5,7
Mounting systems	Surface
Colour finishing	Standard Grey
Marine Grade treatment	None
Product Category	Linear Bar