

## EASYCOLOR COMPACT RGBW/FC



art. 1620

### Short description

---

EASYCOLOR COMPACT RGBW/FC is the newest version of battery powered and main supply wireless controlled colour changer.

With 12 powerful RGBW (6W) full color LEDs, this new version is more compact and easily transportable thanks to the practical handle. It replace the EasyColor 12.

Our rechargeable li-ion battery pack fixture, is particularly suitable for events where set - up time is problematic, and the passage of cables is hard. IP 66 rating protection. Setup and configuration of the fixture by touch control panel.

- Standard fixture colour finishing is black. Optional grey and white (art. FX-COLOUR).

### Description

---

#### • SOURCE

n.12x6W (4W in battery mode) RGBW LEDs for a total result of 48 LEDs

total 4680 lm (lm: 900 R, 1620 G,360 B, 1800 W) with main supply

total 3120 lm (lm: 600 R, 1080 G,240 B, 1200 W) with battery supply

#### • OPTIC

35mm lenses standard beam 20°;

On request: 35mm lenses for wide beam 40°;

#### • TILT

Manual 220°;

#### • CONTROL

## EASYCOLOR COMPACT RGBW/FC

Standard interface: RS-485; opto-couplet bi-directional

Protocol: USITT DMX 512

- SETUP AND CONFIGURATION

Control panel with touch control technology

LED display with flip function

Dedicated DMX channel for white balance

DMX or automatic mode with MASTER/SLAVE function

Built-in wireless receiver

Intelligent temperature control

Flicker free function

Smooth dimming function

Halogen simulation

CYM emulation

- IP 66 RATING PROTECTION

- POWER SUPPLY

Switching power supply (universal main voltage)

Rated voltage: 100-240V~; 50-60Hz

Total max power: 120W

Rated current: 0.5A @ 230V - fuse T4A

Active Power Factor Correction

51.2V 5Ah li-ion battery pack

500 battery charge cycles guaranteed

Battery charge time: 5 hours

Battery working autonomy:

- 10 hours with 2-3 color running

- DMX CHANNELS

- 9 ch mode

- 5 ch mode

- 4 ch mode

- PHYSICAL

## EASYCOLOR COMPACT RGBW/FC

WxDxH: 345 x 170 x 405 mm

Weight: 10 Kg. net