

## TERRA-WL5 WB (it. 180210)



### Specifiche tecniche

LED type	CW+WW (5W)
Number of LEDs	5 (2700K) + 5 (6500K)
Lumen MAX	2500
Lenses	8° 15° 15° x 30° 25° 40° 60°
Filters	None f 17° tilt f 34° tilt f 60° f 65° f 100° f 8°x 60°
Control type	Protocol USITT DMX512 - RDM DMX - RDM + DALI
Input range	18 VDC external control driver
IP protection rating	IP 67 68 optional
IK grade protection	08
Dimensions d x h (mm)	190x47,5
Weight (Kgs)	2,5
Materials	Ultra clear 10mm tempered glass All in stainless steel AISI304
Mounting systems	Inground

Colour finishing	None
Marine Grade treatment	None Yes
Product Category	Inground

## La tua configurazione

LED type	CW+WW (5W)
Number of LEDs	5 (2700K) + 5 (6500K)
Lumen MAX	2500
Lenses	8°
Filters	None
Control type	Protocol USITT DMX512 - RDM
Input range	18 VDC external control driver
IP protection rating	IP 67
IK grade protection	08
Dimensions d x h (mm)	190x47,5
Weight (Kgs)	2,5
Mounting systems	Inground
Colour finishing	None
Marine Grade treatment	None
Product Category	Inground